


PROJECT LAYOUT MAPS

STATE OF SOUTH 029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, 014-171, 081-171 & 212-171

Plotting Date: 05-MAY-2010

014 E-171 & 014 W-171

PCN iITR & iITP




DESIGN DESIGNATION

ADT (2009)	2410
ADT (2029)	3012
DHV	454
D	50%
T DHV	8.0%
T ADT	17.5%

014-171

PCN iITT



DESIGN DESIGNATION

ADT (2008)	19
ADT (2028) DHV	26
D	5
T DHV	6.0
T ADT	14.

Legend:

DL = Driving Lane

PL = Passing Lane

EB = East Bound

WB = West Bound NB = North Bound

SB = South Bound

Legend:

DL = Driving Lane

PL = Passing Lane

TL = Turning Lane

EB = East Bound

WB = West Bound

NB = North Bound


SB = South Bound

PROJECT LAYOUT MAPS

SHEET NO. TOTAL SHEETS STATE OF 029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, 014-171, 081-171 & 212-171 SOUTH 26


Plotting Date: 05-MAY-2010

014-171 & 014 E-171



212-171

PCN iITV



T DHV

19385.2908

STATE OF PROJECT SHEET TOTAL NO. SHEETS

SOUTH 029 N-171, 029 S-171, 029 N-172,


DAKOTA 029 S-172, 014 W-171, 014 E-171,

014-171, 081-171 & 212-171 4 26

Plotting Date: 05-MAY-2010

081–171


PCN iITU





PROJECT LAYOUT MAPS

081–171



Legend:

DL = Driving Lane PL = Passing Lane EB = East Bound

WB = West Bound NB = North Bound

NB = North Bound SB = South Bound DESIGN DESIGNATION

ADT (2009) 2959 ADT (2029) 4031 DHV 609 D 50% T DHV 6.7% T ADT 14.8% R 52 W

DESIGN DESIGNATION

ADT (2009)	2959
ADT (2029)	403I
DHV	609
D	50%
T DHV	6.7%
T ADT	14.8%

STATE OF PROJECT SHEET TOTAL NO. SHEETS

SOUTH 029 N-171, 029 S-171, 029 N-172, 029 N-172, 014 W-171, 014 E-171, 014 E-171, 014-171, 018-171& 212-171

SHEET TOTAL NO. SHEET TOTAL NO. SHEETS

Plotting Date: 27-APR-2010


ESTIMATE OF QUANTITIES

BID ITEM NUMBER	ITEM	029 N-171 PCN i1TK	029 S-171 PCN i1TL	029 N-172 PCN i1TM	029 S-172 PCN i1TN	014 W-171 PCN i1TP	014 E-171 PCN i1TQ	014 E-171 PCN i1TR	014-171 PCN i1TS	014-171 PCN i1TT	081-171 PCN i1TU	212-171 PCN i1TV	TOTAL QUANTITY	UNIT
009E0010	Mobilization	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	LS						
110E1100	Remove Concrete Pavement	220.0	150.1	14.0	10.1	50.5	7.2	17.3	266.2	153.1	206.2	54.8	1149.5	SqYd
380E5020	Fast Track Concrete For PCC Pavement Repair	43.4	0	14.0	10.1	50.5	7.2	17.3	266.2	153.1	206.2	54.8	822.8	SqYd
380E5100	Continuously Reinforced PCC Pavement Repair	176.6	150.1	0	0	0	0	0	0	0	0	0	326.7	SqYd
380E6000	Dowel Bar	72	0	0	7	71	11	29	98	32	91	15	426	Each
380E6110	Insert Steel Bar In PCC Pavement	146	0	32	37	109	22	62	567	114	442	175	1706	Each
634E0010	Flagging	30	20	5	5	10	5	10	30	60	60	60	475	Hour
634E0100	Traffic Control	239	239	239	239	112	112	112	113	113	113	113	1744	Unit
634E0120	Traffic Control, Miscellaneous	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	Lump Sum	LS						
634E0420	Type C Advanced Warning Arrow Panel	1	1	0	0	0	0	0	0	0	0	0	2	Each
651E0040	4" Concrete Sidewalk	0	0	0	0	0	0	0	0	0	37.5	0	37.5	SqFt


029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, 014-171, 081-171 & 212-171 SOUTH DAKOTA Plotting Date: 05-MAY-2010 ∠ 2" Asphalt Concrete Slope 0.05'/FT

TYPICAL SECTIONS

029 N-171 & 029 S-171 INTERSTATE 1-29 CONTINUOUSLY REINFORCED PCCP IN PLACE SURFACING SECTION (Rural - MRM 124.860 thru 134.150)



029 N-172 & 029 S-172INTERSTATE 1-29 NON-REINFORCED PCCP IN PLACE SURFACING SECTION (Rural - MRM 225.520 thru 246.761)



US HIGHWAY 212 MAINLINE IN PLACE SURFACING SECTION (MRM 380.000 thru 394.400)

└ 8.5" Non-Reinforced PCC Pavement


- Gravel Cushion

5" Gravel Cushion


Slope 0.02'/FT

TYPICAL SECTIONS


O14-171
US HIGHWAY 14 MAINLINE
IN PLACE SURFACING SECTION
(Urban - Volga)



O14-171 US HIGHWAY 14 MAINLINE IN PLACE SURFACING SECTION (Rural)



014 E-171& 014 W-171
US HIGHWAY 14 MAINLINE
IN PLACE SURFACING SECTION
(Urban - Brookings)




STATE OF SOUTH O29 N-171, 029 S-171, 029 N-172, O29 S-172, 014 W-171, 014 E-171, O14-171, 081-171 & 212-171 8 26


Plotting Date: 05-MAY-2010

TYPICAL SECTIONS


212-171 US HIGHWAY 212 IN PLACE SURFACING SECTION (MRM 379.150 thru 380.000)



US HIGHWAY 81 MAINLINE
IN PLACE SURFACING SECTION
(Urban - Watertown/Arlington)



081-171 US 81 MAINLINE IN PLACE SURFACING SECTION (Rural)



STATE OF PROJECT SHEET TOTAL NO. SHEETS NO.

Plotting Date: 27-APR-2010

SPECIFICATIONS

Standard Specifications for Roads and Bridges, 2004 Edition, and Required Provisions, Supplemental Specifications and/or Special Provisions as included in the Proposal.

SCOPE OF WORK

Work on this project includes, but is not limited to, removal and replacement of continuously reinforced concrete pavement and non-reinforced concrete pavement.

MAINTENANCE OF TRAFFIC

One lane of traffic shall be maintained in each direction on four-lane construction. Flagger stations shall be used in two-lane construction areas on US 14, US 81 and US 212. The Contractor shall accommodate over-width vehicles through the work areas.

Locations of signs on traffic control layouts are diagrammatic. Portable stands may be used on the shoulders or on driving lanes closed to traffic. The bottom of signs on portable or temporary supports shall not be less than seven feet above the pavement in urban areas and one foot above the pavement in rural areas.

A maximum of two closures for four lane highway and two closures for two lane highway shall be paid for. If more closures are utilized, additional cost of signing shall be at the Contractor's expense. No payment will be made for signs being reused at different repair areas.

All operations shall be confined to a 12 ft lane plus the shoulder, leaving the adjoining 12 ft lane open for thru traffic.

The Contractor will be allowed to encroach on the traffic lane approximately 3 feet if FLAGGER signs and a flagger are used. The FLAGGER signs and flagging are included in the Estimate of Quantities.

Damage to the shoulders, median or ditch due to the Contractor's operations shall be repaired by the Contractor, to the satisfaction of the Engineer, at no expense to the State. This includes the routing of traffic onto these shoulders around the work zones.

Type III Barricades 8' wide shall protect PCC Pavement replacement during open excavation and concrete cure periods.

Open excavations at repair area locations shall not be allowed to be left open overnight. The Contractor shall complete the placement of PCCP on the same day as the existing PCCP is removed.

MAINTENANCE OF TRAFFIC (CONTINUED)

Not more than two Type C Advanced Warning Arrow Panels will be measured and paid for.

Maintenance of existing delineators shall be the Contractor's responsibility.

Work activities, other than traffic control flagging, during non-daylight hours are subject to prior approval.

All costs associated with furnishing and installing interim white and/or yellow edge line for a lane closure and/or for tapers shall be incidental to the contract lump sum price for TRAFFIC CONTROL, MISCELLANEOUS. Removal of interim white and/or yellow edge line for a lane closure shall also be incidental to the contract lump sum price for TRAFFIC CONTROL, MISCELLANEOUS.

Flagging stations shall be lighted during nighttime operations. Lights for this purpose shall be a flood type, shielded to prevent glare and provide a minimum of 5000 lumens (250 watt incandescent lamp). The flood lights shall be installed at a minimum height of eight feet. Cost of the flagging station flood lights shall be incidental to the contract lump sum price for TRAFFIC CONTROL, MISCELLANEOUS.

On I-29, the Contractor's equipment will be required to enter and leave the project only at interchanges. Crossing of the median will not be allowed.

The Contractor shall not park equipment on or along side of the roadway within a 30 foot clear distance from the edge of the driving lane. The Contractor shall remove all equipment from the roadway during non-working hours.

If interchange on-ramp traffic will encounter construction activity before reaching the "ROAD WORK AHEAD" and "RT or LT LANE CLOSED AHEAD" mainline signs, a "ROAD WORK AHEAD" sign and a "RT or LT LANE CLOSED AHEAD" sign shall be placed along the on-ramp before reaching mainline.

If interchange on-ramp traffic must enter an area with the driving lane (right hand 12') closed, the Contractor shall outline the last 100' of the on-ramp vehicle's path with channelizing devices, at 25' spacing on both sides. The Contractor shall cover any existing yield sign while the portable Yield sign is in place.

If the driving lane (right hand 12') is closed through an interchange offramp, the Contractor shall outline the existing vehicle's path with channelizing devices at 25' spacing on both sides and erect an "Exit" sign on a portable stand at the "gore-point", to direct traffic up the offramp as shown on the special traffic control detail on sheet 18. In addition, the spacing of the mainline centerline channelizing devices 450' in advance of the off-ramp shall be 25'.

MAINTENANCE OF TRAFFIC (CONTINUED)

All breakaway sign supports shall comply with FHWA NCHRP 350 crashworthy requirements. The Contractor shall provide post installation details at the preconstruction meeting for all steel post breakaway sign support assemblies.

REMOVE CONCRETE PAVEMENT

Approximate locations of existing continuously reinforced concrete pavement to be removed are provided in the Table of PCCP Repair Areas. Prior to removal of continuously reinforced concrete pavement, the Contractor shall saw cut full depth at a distance of 22 inches inside the ends of the removal areas as directed by the Engineer. At the ends of the removal areas a partial depth saw cut (2 inch) shall be made in order to preserve a minimum of 22 inches of the longitudinal reinforcing steel for lap splices. During concrete breakout, care shall be taken not to damage the reinforcing steel to be reused. Concrete shall be chipped out to expose existing reinforcing steel.

Approximate locations of existing non-reinforced concrete pavement to be removed are provided in the Table of PCCP Repair Areas. Prior to removal the Contractor shall saw cut full depth at the limits of the removal area as directed by the Engineer.

The Contractor shall notify the Engineer two working days prior to beginning work at each location so the Engineer may mark out removal limits. The Engineer shall mark exact dimensions prior to removal of concrete pavement. Payment will be made for quantity marked out and measured in the field. Variations from plans estimated quantities and/or locations will not be considered cause for re-negotiation of the contract unit prices.

Care shall be exercised in the removal of concrete slab panels to avoid damage to adjacent pavement, manholes and growth joints. Damage to adjacent pavement, manholes and/or growth joints shall be repaired to the satisfaction of the Engineer at the Contractor's expense.

After concrete removal has been accomplished, the Contractor shall shape, water and recompact the remaining granular material prior to placement of concrete. Payment for this work shall be incidental to the contract unit price per square yard for REMOVE CONCRETE PAVEMENT. Any additional gravel cushion required to prepare the area shall be furnished and placed by the Contractor and shall be incidental to the contract unit price per square yard for REMOVE CONCRETE PAVEMENT.

OF PROJECT SHEET TOTAL
TH O29 N-171, O29 S-171, O29 N-172,
O29 S-172, O14 W-171, O14 E-171,
O14-171, O81-171 & 212-171

O14-171, O81-171 & 212-171

O15 SHEET TOTAL
NO. SHEETS

10 26

Plotting Date: 27-APR-2010

REMOVE CONCRETE PAVEMENT (CONTINUED)

Removal of Concrete Pavement will be paid for at the contract unit price per square yard. This payment will be full compensation for full and partial depth sawing, removal of all PCC Pavement, removal of existing asphalt overlay (if applicable), disposal of all removed material, and all equipment, labor, and incidentals necessary to satisfactorily complete work.

All removed concrete shall be removed from the right of way by the end of the workday and disposed of at the Contractor's waste disposal site.

ASPHALT CONCRETE SHOULDERS

To allow for form placement at locations where full depth repairs are adjacent to asphalt concrete shoulders, the Contractor shall saw cut full depth existing asphalt concrete shoulder. The saw cut shall be parallel to and no more than one foot from existing pavement edge. All costs incurred in performing the above-mentioned work, and for equipment, labor, and incidentals necessary to complete work shall be incidental to the contract unit price per square yard for REMOVE CONCRETE PAVEMENT, no separate measurement shall be taken.

Upon completion of pavement repair, the Contractor shall re-establish the asphalt concrete shoulder. Asphalt Concrete Composite shall be placed at a depth that matches that of the existing asphalt concrete shoulder. All costs for furnishing and installing granular material, for Asphalt Concrete Composite, and for all equipment, labor, and incidentals necessary to complete work shall be incidental to the contract unit price per square yard for FAST TRACK CONCRETE FOR PCC PAVEMENT REPAIR and CONTINUOUSLY REINFORCED PCC PAVEMENT REPAIR, respectively.

ASPHALT CONCRETE COMPOSITE

Asphalt Concrete Composite shall be furnished by the Contractor.

Mineral aggregate for the Asphalt Concrete Composite shall conform to the requirements of the Standard Specifications for Class E, Type 1; Class G, Type1; Class Q Medium or High Volume Traffic Asphalt Concrete; Class Q2, Q3, or Q4 Hot Mixed Asphalt Concrete specifications.

All other requirements in the Standard Specifications for Asphalt Concrete Composite shall apply.

The asphalt binder used in the mixture shall be PG 58-28, 64-22, or 64-28 Asphalt Binder.

The Contractor shall provide a Job-Mix Formula to the Bituminous Engineer with supporting mix design data prior to production.

ASPHALT CONCRETE COMPOSITE, (CONTINUED)

The asphalt binder content may be adjusted by the Engineer.

Compaction of the Asphalt Concrete Composite shall be by equipment satisfactory to the Engineer.

FAST TRACK CONCRETE

Fast Track concrete shall be used for all Continuously Reinforced Concrete Pavement Repair and Nonreinforced PCC Pavement Repair.

The slump requirement prior to use of a set accelerator or superplasticizer will be limited to 2 inches maximum and after addition of all admixtures the maximum slump shall be 8 inches and the concrete shall contain 4.5 to 7.0 percent entrained air. Coarse aggregate shall be crushed ledge rock, Size No. 1. The Contractor is responsible for the mix design used. The Contractor shall submit a mix design and supporting documentation for approval at least 2 weeks prior to use. In lieu of submitting a mix design the contractor may use the following:

	LB./CU.YE
CEMENT (TYPE I, II, OR III)	784
FINE AGGREGATE	1162
COARSE AGGREGATE	1650

The use of a set accelerator and super-plasticizer at the manufacturer's recommended dosage will be required. Both admixtures shall be added at the project site.

The special mix shall be designed to produce a minimum compressive strength of 3800 psi in 10 to 12 hours of curing time.

Fast Track Concrete shall be cured with white pigmented curing compound (AASHTO M 148 TYPE 2) applied as soon as practical at a rate of 125 square feet per gallon. In addition, the concrete shall be immediately covered with suitable insulation blanket consisting of a layer of closed cell polystyrene foam protected by a least one layer of plastic. The insulation blanket shall have an R value of at least 0.5, as rated by the manufacturer. The insulation blanket shall be left in place, except for joint sawing operations, until the 3800 psi strength is attained.

All concrete placed adjacent to gravel shoulders shall be formed to match the width of existing concrete pavement.

CONTINUOUSLY REINFORCED PCC PAVEMENT REPAIR

The concrete repair area shall be removed, replaced, and opened to traffic within 24 hours.

Reinforcing steel bars shall be placed in repair areas.

Longitudinal steel bars shall be lap spliced a minimum of 20" with the preserved existing steel. Pavement shall be poured flush in elevation with the adjacent concrete or asphalt pavement.

All existing exposed reinforcing steel and concrete faces shall be cleaned by sandblasting and compressed air to remove dirt and debris prior to placement of new concrete. All costs of cleaning the existing reinforcing steel shall be incidental to the contract unit price per square yard for CONTINUOUSLY REINFORCED PCC PAVEMENT REPAIR.

The Contractor shall underpin the existing concrete in lieu of lapping reinforcing steel at locations where the condition of the surrounding concrete/steel prevents lap splicing, as determined by the Engineer. The cost for underpinning shall be incidental to the various bid items.

CONTINUOUSLY REINFORCED PCC PAVEMENT REPAIR will be paid at the contract unit price per square yard. This payment will be full compensation for all reinforcing steel, sawing and sealing joints, underpinning, for fast track concrete, and for equipment, labor, and incidentals necessary to satisfactorily complete the work.

NONREINFORCED PCC PAVEMENT REPAIR

At these locations, the concrete in the repair area shall be removed and replaced and the work zone opened to traffic within 24 hours. On two lane portions of Projects 014-171, 081-171 and 212-171 repair areas shall be controlled 24 hours a day with a flagger until they can be opened to traffic.

A broom finish will be required. A transverse metal tine finish will be required as specified by the Engineer. Prior to opening to traffic, transverse and longitudinal joints shall be temporarily sealed with a backer rod of sufficient size approved by the Engineer. The cost of the backer rod and its installation shall be incidental to the contract unit price per square yard for FAST TRACK CONCRETE FOR PCC PAVEMENT REPAIR. This backer rod shall be removed during permanent joint sealing operations.

STATE OF SOUTH O29 N-171, O29 S-171, O29 N-172, O29 S-172, O14 W-171, O14 E-171, O14-171, O81-171 & 212-171 11 26

Plotting Date: 27-APR-2010

NONREINFORCED PCC PAVEMENT REPAIR, (CONTINUED)

All joints (longitudinal and transverse) through and around repair areas shall be sawed and sealed in accordance with the details shown in these plans. All costs incurred in performing the aforementioned work including furnishing and placing Fast Track Concrete, sawing and sealing joints, labor, tools and equipment shall be incidental to the contract unit price per square yard for FAST TRACK CONCRETE FOR PCC PAVEMENT REPAIR.

The contraction joint sawing shall be performed as soon as possible after placement of concrete to avoid random cracking. Contraction joints shall be initially sawed to the plans detailed depth and to a width of 1/8 inch.

The Contractor shall underpin the existing concrete in lieu of installing tie bars and dowel bars at locations where the condition of the surrounding concrete has deteriorated to the point when tie bar/dowel bar installation is not possible, as determined by the Engineer. The cost for underpinning shall be incidental to the various bid items

JOINT SEALANT

Low Modulus Silicone Sealant may be used in place of Hot Poured Elastic Joint Sealer on any Longitudinal or Transverse Joint.

STEEL BAR INSTALLATION

The Contractor shall install the steel bars (1 1/4 inch epoxy coated plain round dowel bars and No. 5 and No. 9 epoxy coated deformed tie bars) into drilled holes in the existing concrete pavement. An epoxy resin adhesive must be used to anchor the steel bar in the drilled hole.

The steel bars shall be cut to the specified length by sawing and shall be free from burring or deformations. Shearing will not be permitted.

Epoxy resin adhesive shall be of the type intended for horizontal applications and shall conform to the requirements of ASTM C 881, Type IV, Grade 3 (equivalent to AASHTO M235, Type IV, Grade 3).

The diameter of the drilled holes in the existing concrete pavement for the steel bars shall not be less than 1/8 inch nor more than 3/8 inch greater than the overall diameter of the steel bar. Holes drilled into the existing concrete pavement shall be located at mid-depth of the slab and true and normal. The drill used shall be a hydraulic percussive type and not a hand held. The drilled holes shall be blown out with compressed air using a device that will reach to the back of the hole to ensure that all debris or loose material has been removed prior to epoxy injection.

STEEL BAR INSTALLATION, (CONTINUED)

Mix the epoxy resin as recommended by the manufacturer and apply by an injection method approved by the Engineer. If an epoxy pump is utilized, it shall be capable of metering the components at the manufacturer's designated rate and be equipped with an automatic shut-off. The pump shall shut off when any of the components are not being metered at the designated rate. Fill the drilled holes from the back to the front 1/3 to 1/2 full of epoxy or as recommended by the manufacturer, prior to insertion of the steel bar. Care shall be taken to prevent epoxy from running out of the horizontal hole prior to steel bar insertion. Rotate the steel bar during installation to eliminate voids and ensure complete bonding of the bar. Insertion of the bars by the dipping method will not be allowed.

Steel bars shall not be placed closer than 6 inches to any longitudinal joint or pavement edge, not closer than 18 inches to any transverse joint, and not closer than 15 inches to any construction joint.

Concrete shall be placed when the epoxy for anchoring the steel bars has hardened sufficiently to permit no movement of the steel bars as recommended by the manufacturer.

All costs for the installation of steel bars, equipment, labor, and incidentals necessary to complete work shall be incidental to the contract unit price per each for INSERT STEEL BAR IN PCC PAVEMENT.

WASTE DISPOSAL SITE

The Contractor will be required to furnish a site(s) for the disposal of construction/demolition debris generated by this project.

Construction/demolition debris may not be disposed of within the State ROW.

The waste disposal site(s) shall be managed and reclaimed in accordance with the following from the General Permit for Highway, Road, and Railway Construction/Demolition Debris Disposal Under the South Dakota Waste Management Program issued by the Department of Environment and Natural Resources.

The waste disposal site(s) shall not be located in a wetland, within 200 feet of surface water, or in an area that adversely affects wildlife, recreation, aesthetic value of an area, or any threatened or endangered species, as approved by the Engineer.

WASTE DISPOSAL SITE, (CONTINUED)

If the waste disposal site(s) is located such that it is within view of any ROW, the following additional requirements shall apply:

- 1. Construction/demolition debris consisting of concrete, asphalt concrete, or other similar materials shall be buried in a trench completely separate from wood debris. The final cover over the construction/demolition debris shall consist of a minimum of 1 foot of soil capable of supporting vegetation. Waste disposal sites provided outside of the State ROW shall be seeded in accordance with Natural Resources Conservation Service recommendations. The seeding recommendations may be obtained through the appropriate County NRCS Office. The Contractor shall control the access to waste disposal sites not within the State ROW through the use of fences, gates, and placement of a sign or signs at the entrance to the site stating "No Dumping Allowed".
- Concrete and asphalt concrete debris may be stockpiled within view of the ROW for a period of time not to exceed the duration of the project. Prior to project completion, the waste shall be removed from view of the ROW or buried and the waste disposal site reclaimed as noted above.

The above requirements will not apply to waste disposal sites that are covered by an individual solid waste permit as specified in SDCL 34A-6-58, SDCL 34A-6-1.13, and ARSD 74:27:10:06.

Failure to comply with the requirements stated above may result in civil penalties in accordance with South Dakota Solid Waste Law, SDCL 34A-6-1.31.

All costs associated with furnishing waste disposal site(s), disposing of waste, maintaining control of access (fence, gates, and signs), and reclamation of the waste disposal site(s) shall be incidental to the various contract items.

All construction debris including, but not limited to, concrete generated from removal operations shall be disposed of at the Contractor's waste disposal site prior to nightfall.


HISTORICAL PRESERVATION OFFICE CLEARANCES


To obtain State Historical Preservation Office (SHPO) clearance, a cultural resources survey may need to be conducted by a qualified archaeologist. In lieu of a cultural resources survey, the Contractor could request a records search from Jim Donohue, State Archaeological Research Center (SARC). Provide SARC with the following: a topographical map or aerial view on which the site is clearly outlined, site dimensions, project number, and PCN. If applicable, provide evidence that the site has been previously disturbed by farming, mining, or construction activities with a landowner statement that no artifacts have been found on the site. The Contractor shall arrange and pay for the cultural resource survey and/or records search.

If any earth disturbing activities occur within the current geographical or historic boundaries of any South Dakota reservation, the Contractor shall obtain Tribal Historical Preservation Office (THPO) clearance. If no THPO exists, the required SHPO clearance shall suffice, with documentation of Tribal contact efforts provided to SHPO.

To facilitate SHPO or THPO responses, the Contractor should submit a records search or cultural resources survey report to Tom Lehmkuhl, DOT Environmental Engineer, 700 East Broadway Avenue, Pierre, SD 57501-2586 (605-773-3180). Allow 30 days from the date this information is submitted to the Environmental Engineer for SHPO/THPO approval. The Contractor is responsible for obtaining all required permits and clearances for staging areas, borrow sites, waste disposal sites, and all material processing sites. The Contractor shall provide the required permits and clearances to the Engineer at the preconstruction meeting.

CONCRETE SIDEWALK





The concrete sidewalk shall be constructed in accordance with Section 651 of the Standard Specifications. The sidewalk details shown above are typical of this project. Locations and description of sidewalk are as follows:

Northeast corner of 14th Avenue and US 81 intersection in Watertown, place one 2.5 ft. x 5 ft. pad along back side of existing landing of curb ramp to allow accessibility to pedestrian crossing push button. Match the existing sidewalk slope when possible.

Southeast corner of US 212 and US 81 intersection in Watertown, place two 2.5 ft. x 5 ft. pads (each side of the existing curb ramp) to allow accessibility to pedestrian crossing push button. Match the existing sidewalk slope when possible.

Existing topsoil shall be salvaged, placed and reseeded. This work shall be incidental to the contract unit price per sq.ft. for 4" Concrete Sidewalk.

STATE OF SOUTH	PROJECT 029 N-171, 029 S-171, 029 N-172,	SHEET NO.	TOTAL SHEETS
DAKOTA	029 S-172, 014 W-171, 014 E-171, 014-171, 081-171 & 212-171	12	26

Plotting Date: 27-APR-2010

PREQUALIFICATION

Persuant to South Dakota Administrative Rules 70:07:02, Classification and Bidding Capacity Rating for Highway Contracts, and Section 2.1 of the SDDOT Standard Specifications For Roads and Bridges, all bidders on highway construction projects over \$99,999.99 shall be prequalified. Maintenance stockpile projects are excluded from this requirement.

Bidders on projects let through the informal process (being let using a DOT 123 contract form) are excluded from having to submit a request for Plans and Bid Proposal form as required in Standard Specification Section 2.3, showing the bidders status at the time as to their ability to handle the work for which they are submitting a bid. All other portions of Section 2.3 are to remain in effect.

PCCP Repair Areas

STATE OF SOUTH O29 N-171, O29 S-171, O29 N-172, O29 S-172, O14 E-171, O14-171, O14 E-171, O14-171, O14

029 N-171

029 S-171

PCN i1TK

MRM	Dimer	nsions	SQYD	Description		Bars		Dowel Bar
	L (ft)	W (ft)	อนุเก	Description	#5	#9	1 1/4"	(EACH)
124.860	5	5	2.8	NB-DL				,
124.900	5	5	2.8	NB-DL				
124.940	10	6	6.7	NB-PL				
124.970	22	6	14.7	NB-PL				
128.120	5	5	2.8	NB-DL				
128.180	5	5	2.8	NB-DL				
128.200	5	5	2.8	NB-DL				
128.420	6	6	4.0	NB-DL				
128.530	5	6	3.3	NB-DL				
128.560	5	6	3.3	NB-DL				
128.860	5	6	3.3	NB-DL				
129.370	5	12	6.7	NB-DL				
129.720	5	12	6.7	NB-DL				
129.810	5	12	6.7	NB-DL				
130.110	4	12	5.3	NB-DL				
130.140	5	6	3.3	NB-DL				
130.160	5	5	2.8	NB-DL				
130.230	5	6	3.3	NB-DL				
130.250	5	12	6.7	NB-DL				
132.530	4	12	5.3	NB-DL			36	
133.200	5	5	2.8	NB-DL				
133.210	5	5	2.8	NB-DL				
133.750	5	5	2.8	NB-DL				
133.770	5	5	2.8	NB-DL				
133.780	5	5	2.8	NB-DL				
*133.848	5	18	10.0	NB Off-Ramp 133	2	3		18
*133.852	7	7	5.4	NB On-Ramp 133	3	6		6
*133.895	5	18	10.0	NB On-Ramp 133		32		16
*133.910	5	18	10.0	NB On-Ramp 133		32		16
*133.932	4	18	8.0	NB On-Ramp 133		32		16
133.900	5	12	6.7	NB-DL				
133.910	7	6	4.7	NB-DL				
133.913	8	12	10.7	NB-DL				
133.980	5	12	6.7	NB-DL				
133.990	7	12	9.3	NB-DL				
134.020	5	5	2.8	NB-DL				
134.025	5	5	2.8	NB-DL				
134.040	5	12	6.7	NB-DL				
134.080	10	12	13.3	NB-PL		1		
134.150	5	5	2.8	NB-DL		+		
Total	<u> </u>		220.0	140-01	5	105	36	72

The above repairs are in a continuously reinforced concrete pavement section, unless otherwise indicated.

PCN i1TL

MRM	Dimer	nsions	SQYD	Description	Ba	ars		Dowel Bar
Ī	L (ft)	W (ft)			#5	#9	1 1/4"	(EACH)
128.600	8	12	10.7	SB-DL				
128.740	6	6	4.0	SB-DL				
128.760	6	6	4.0	SB-DL				
129.580	10	12	13.3	SB-DL				
130.050	11	12	14.7	SB-DL				
130.350	5	5	2.8	SB-DL				
131.350	12	5	6.7	SB-DL				
131.820	15	7	11.7	SB-PL				
131.830	17	12	22.7	SB-PL				
131.840	5	5	2.8	SB-DL				
132.300	8	6	5.3	SB-DL				
132.360	8	12	10.7	SB-DL				
132.370	10	12	13.3	SB-PL				
132.400	10	12	13.3	SB-DL				•
132.680	5	5	2.8	SB-PL				
133.820	5	6	3.3	SB-DL				
134.070	6	12	8.0	SB-DL				
Total			150.1		0	0	0	0

029 N-172

PCN i1TM

MRM	Dimer	nsions	SQYD	Description		Bars		Dowel Bar
	L (ft)	W (ft)			#5	#9	1 1/4"	(EACH)
*238.387	10.5	12	14.0	NB-DL	8	12	12	
Total			14.0		8	12	12	0

029 S-172

PCN i1TN

MRM	Dimer	nsions	SQYD	Description	Bars			Dowel Bar
	L (ft)	W (ft)			#5	#9	1 1/4"	(EACH)
*225.520	6	7	4.7	SB-PL	3	14		7
*246.761	7	7	5.4	SB-PL	6	7	7	
Total			10.1		9	21	7	7

The above repairs are in a continuously reinforced concrete pavement section, unless otherwise indicated.

LEGEND: NB (North Bound), SB (South Bound)
DL (Driving Lane), PL (Passing Lane)

Note: Number of steel bars is for information only. Actual quantity to be determined on construction. Quantity of steel bars shall be paid for at the contract unit price per each for INSERT STEEL BAR IN PCC PAVEMENT.

^{*} Nonreinforced PCCP

^{*} Nonreinforced PCCP

PCCP Repair Areas

KOTA 029 N-17, 029 N-17, 029 N-172, N-172, 014 N-171, 014 E-171, 014-171, 081-171& 212-171 14 26	E OF	PROJECT	SHEET NO.	TOTAL SHEETS
	OUTH KOTA	029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, 014-171, 081-171& 212-171	14	26

Plotting Date: 27-APR-2010

014 W-171 & 014E-171/Brookings 6th St.& 014-171

PCN i1TP, i1TR & i1TT

MRM	Dimer	nsions	SQYD	Description		Bars		Dowel Bar
	L (ft)	W (ft)		•	#5	#9	1 1/4"	(EACH)
014 W-171	PCN i1TP	•	•		•			,
421.730	12	6	8.0	WB-DL	4			12
421.820	6	12	8.0	WB-PL		24		12
422.100	6	14	9.3	WB-PL		24		12
422.110	6	12	8.0	WB-DL	2	24		12
422.170	6	6	4.0	WB-DL		10		5
422.220	5	7	3.9	WB-DL		12		6
422.340	14	6	9.3	WB-DL	2	7		12
Totals			50.5		8	101	0	71
014 E-171	PCN i1TR		-					
422.310	6	6	4.0	EB-DL		10		5
422.340	5	24	13.3	EB-DL&PL	4	48		24
Totals			17.3		4	58	0	29
014-171 P	CN i1TT				-			
425.240	7	4	3.1	WB	4	3	3	
428.540	9	6	6.0	WB	4	5	5	
429.150	20	14	31.1	EB	5		24	
429.150	20	14	31.1	WB			24	
429.460	4	5	2.2	EB	2	3		4
430.290	4	4	1.8	EB		6		4
434.260	25	28	77.8	EB & WB	2	24		24
Totals			153.1		17	41	56	32

014 E-171 Arlington

PCN i1TQ

MRM	Dimer	nsions	SQYD	Description		Bars		Dowel Bar
	L (ft)	W (ft)			#5	#9	1 1/4"	(EACH)
401.040	5	8	4.4	SB, PL	2	14		7
401.040	5	5	2.8	SB, DL	2	4		4
Totals			7.2		4	18	0	11

014-171/Volga

PCN i1TS

MRM	Dimer	nsions	SQYD	Description		Ва	rs	Dowel Bar
	L (ft)	W (ft)			#5	#9	1 1/4"	(EACH)
014 Westb	ound			-				
412.960	4	4	1.8	TL	2		2	
412.970	4	10	4.4	WB, DL		16		8
413.360	12	24	32.0	WB, DL & TL	12	24	24	
413.400	14	24	37.3	WB, DL & TL	16	24	24	
413.710	6	6	4.0	WB, PL	4	10		5
413.810	4	4	1.8	WB, PL		6		3
414.190	4	5	2.2	TL		8		4
Totals			83.5		34	88	50	20
014 Eastbo	ound	-	-				-	-
413.050	4	5	2.2	EB, DL	4	10		5
413.340	8	36	32.0	EB, DL, PL & TL	9	36	36	
413.360	18	36	72.0	EB, DL, PL & TL	15	72		36
413.570	8	36	32.0	EB, DL, PL & TL	12	36	36	
413.610	6	36	24.0	EB, DL, PL & TL	6	36	36	
413.660	4	4	1.8	EB, DL	2	2	2	
413.690	4	5	2.2	EB, DL	2	8		4
413.780	4	8	3.6	EB, PL & TL		6		6
413.890	4	17	7.6	EB, PL & TL	2	15		15
414.190	4	12	5.3	EB, PL & TL		12		12
Totals	-		182.7		52	233	110	78

LEGEND: EB (East Bound), WB (West Bound) NB (North Bound), SB (South Bound)

DL (Driving Lane), PL (Passing Lane), TL (Turning Lane)

Note: Number of steel bars is for information only. Actual quantity to be determined on construction. Quantity of steel bars shall be paid for at the contract unit price per each for

INSERT STEEL BAR IN PCC PAVEMENT.

PCCP Repair Areas

OF PROJECT SHEET TOTAL
TH O29 N-171, 029 S-171, 029 N-172,
029 S-172, 014 W-171, 014 E-171,
014-171, 081-171& 26

Plotting Date: 27-APR-2010

081-171

212-171

PCN i1TU

PCN i1TV

MRM	Dime	nsions	SQYD	Description		Bars		Dowel Bar
	L (ft)	W (ft)		-	#5	#9	1 1/4"	(EACH)
081-171								
119.510	5	5	2.8	SB, PL		8		4
119.890	11	4	4.9	NB, DL	6			6
119.900	5	5	2.8	NB, DL		4		3
135.050	14	14	21.8	NB		12		12
135.050	14	14	21.8	SB		12		12
157.150	10	12	13.3	NB-PL	8	8	12	
157.390	6	6	4.0	NB-PL	3	8	6	6
157.640	12	15	20.0	NB-DL	10	8	12	
157.650	18	6	12.0	NB-DL	8	12	12	
158.060	6	10	6.7	NB-DL	3	11	10	
158.240	6	12	8.0	NB	6	16		
158.250	6	12	8.0	NB	6	16		12
158.300	5	5	2.8	NB	2	6	5	
157.120	6	6	4.0	SB-PL	3	8	6	
157.120	6	6	4.0	SB-PL	3	12		6
157.130	6	12	8.0	SB-PL	6	16		12
157.440	6	6	4.0	SB-DL	3	8	6	
157.670	6	12	8.0	SB-DL	6	8	12	
158.080	6	6	4.0	SB-PL	3	8	6	
158.090	6	6	4.0	SB-PL	3	12		6
158.130	12	12	16.0	SB	6		16	12
158.170	6	6	4.0	SB	3	8	6	
158.290	8	15	13.3	SB	6		16	
158.300	6	12	8.0	SB	6	16		
Total			206.2		100	217	125	91

MRM	Dime	nsions	SQYD	Description		Bars		Dowel Bar
	L (ft)	W (ft)	1	_	#5	#9	1 1/4"	(EACH)
212-171								
379.150	20	6	13.3	WB-DL	8	4	6	
379.820	5	5	2.8	EB-DL		6	5	
381.140	6	12	8.0	WB	6	16		12
382.300	5	12	6.7	EB	3	11	12	
382.330	6	6	4.0	WB		8		3
382.940	5	5	2.8	EB	3	6	5	
389.160	5	5	2.8	EB	3	6	5	
391.270	5	5	2.8	EB	3	6	5	
392.550	9	6	6.0	WB	4	10	6	
393.840	5	5	2.8	EB	3	6	5	
394.400	5	5	2.8	EB	3	6	5	
Total			54.8		36	85	54	15

LEGEND: EB (East Bound), WB (West Bound)

NB (North Bound), SB (South Bound)

DL (Driving Lane), PL (Passing Lane)

Note: Number of steel bars is for information only. Actual quantity to be determined on construction.

Quantity of steel bars shall be paid for at the contract unit price per each for

INSERT STEEL BAR IN CONCRETE PAVEMENT.

DAKOTA FULL DEPTH CONCRETE

029 N-171. 029 S-171. 029 N-172. 029 S-172. 014 W-171. 014 E-171. 014-171. 081-171 & 212-171 Plotting Date: 27-APR-2010

STATE OF


SOUTH


PROJECT

16

26

PAVEMENT REPAIR





E - H: \PLANS\2010 CONCRETE REPAIR\UNDERPINNIN


TED FROM - TRBR1NT12

 STATE OF SOUTH DAKOTA
 PROJECT SHEET TOTAL NO. SHEETS

 029 N-171, 029 S-171, 029 N-172, 014 W-171, 014 E-171, 014 E-171, 014-171, 081-171 & 212-171
 17
 26

Plotting Date: 05-MAY-2010


UNDERPINNING DETAIL




FROM - TRBRINT12

GUIDES FOR TRAFFIC CONTROL DEVICES RAMP SIGNING DETAILS

ON-RAMP AND OFF-RAMP



DETAILS FOR SPECIAL SIGN



NOTE: Quantity included in the Sign Tabulation.

STATE OF SOUTH	PROJECT 029 N-171, 029 S-171, 029 N-172,	SHEET NO.	TOTAL SHEETS
DAKOTA	029 S-172, 014 W-171, 014 E-171, 014-171, 081-171 & 212-171	18	26

TOTAL SHEETS SHEET NO. STATE OF 029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, SOUTH 19

Plotting Date: 27-APR-2010

Dootod	Spacina of	Chaoina of
Posted	Spacing of	Spacing of
	Advance Warning	
Prior to	Signs	Devices
Work	(Feet)	(Feet)
(M.P.H.)	(A)	(G)
0 - 30	200	25
35 - 40	350	25
45 - 50	500	50
55	750	50
60 - 65	1000	50

■ Flagger

■ Channelizing Device


For low-volume traffic situations with short work zones on straight roadways where the flagger is visible to road users approaching from both directions, a single flagger may be used.

The ROAD WORK AHEAD and the END ROAD WORK signs may be omitted for short duration operations (I hour or less).

For tack and/or flush seal operations, when flaggers are not being used, the FRESH Oil sign (W21-2) shall be displayed in advance of the liquid asphalt

Flashing warning lights and/or flags may be used to call attention to the advance warning signs.

The channelizing devices shall be drums or type II barricades if traffic control must remain overnight or longer. During daylight hours, 42" cones may be used in lieu of drums or type II barricades along the centerline.



Channelizing devices are not required along the centerline adjacent to work area when pilot cars are utilized for escorting traffic through the work

Channelizing devices and flaggers shall be used at intersecting roads to control intersecting road traffic as required.

The buffer space shall be a sufficient length so that the channelizing devices are visible to approaching traffic.

> D **GUIDES FOR TRAFFIC CONTROL DEVICES** D LANE CLOSURE WITH FLAGGER PROVIDED ō


PLATE NUMBER *634.23*

Sheet I of I

0 T

Sheet I of I

Plotting Date: 27-APR-2010



Posted Spacing of Speed Advance Warning Taper Prior to Signs Length Work (Feet) (Feet) (M.P.H. (A) 200 350 500 180 320 600 35 - 40 AHEAD MOBK **GAOR** END ROAD WORK G20-2 (Optional) RICHT KEEb -10 1<u>0' (Min</u> WORK Type III Barricade 10' 👫 (lpnoi+q0) C20-2 ROAD WORK END A minimum of six channelizing devices shall be used for each taper. Prohibit left turns as required by traffic conditions. Unless the streets WORK AHEAD are wide, it may be physically impossible to turn left, especially for large vehicles. For one hour or less work operations, the channelizing devices may be eliminated if a flashing or revolving yellow light is displayed in the work ■ Channelizing Device Drums or Type II Barricades shall be Flashing warning lights and/or flags may used if required overnight. be used to call attention to the advance warning signs. April I, 2008 PLATE NUMBER D D **GUIDES FOR TRAFFIC CONTROL DEVICES** 634.34 **CLOSURE IN CENTER OF INTERSECTION** Published Date: 2nd Qtr. 2010


Published Date: 2nd Otr. 2010


FILE - HIVPLANS\2010 CONCRETE REPAIR\UNDERPINNING.

PLOTTED FROM - TRBR1NT12

STATE OF PROJECT SHEET TOTAL
SOUTH O29 N-171, 029 S-171, 029 N-172,
DAKOTA 029 S-172, 014 W-171, 014 E-171,
014-171, 081-171 & 212-171 20 26


Plotting Date: 27-APR-2010







SHEET NO. TOTAL SHEETS PROJECT STATE OF SOUTH 029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, 014-171, 081-171 & 212-171 21 26

Plotting Date: 27-APR-2010







Plotting Date: 05-MAY-2010

STATE OF	PROJECT	SHEET	TOTAL
SOUTH	029 N-171, 029 S-171, 029 N-172,	NO.	SHEETS
DAKOTA	029 S-172, 014 W-171, 014 E-171, 014-171, 081-171& 212-171	22	

Plotting Date: 27-APR-2010


ITEMIZED LIST FOR TRAFFIC CONTROL

SIGN CODE	SIGN SIZE	DESCRIPTION	NUMBER REQUIRED	UNITS PER SIGN	UNITS		
G20-2A	36" x 18"	END ROAD WORK	6	17	102		
R1-2	48" x 48"	YIELD	1	34	34		
R4-7	24" x 30"	KEEP RIGHT (SYMBOL)	1	18	18		
W4-2	48" x 48"	LEFT OR RIGHT LANE ENDS (SYMBOL)	4	34	136		
W5-4	48" x 48"	RAMP NARROWS	1	34	34		
W13-1	24" x 24"	ADVISORY SPEED PLATE	1	16	16		
W20-1	48" x 48"	ROAD WORK #### FT. OR AHEAD	12	34	408		
W20-4	48" x 48"	ONE LANE ROAD #### FT. OR AHEAD	4	34	136		
W20-5	48" x 48"	LT. OR RT. LANE CLOSED #### FT. OR AHEAD	4	34	136		
W20-7a	48" x 48"	FLAGGER	6	34	204		
SPECIAL	36" x 32"	EXIT (WITH ARROW)	1	24	24		
W13-4	24" x 24"	ON RAMP	1	16	16		
****	****	TYPE III BARRICADE - 8 FT. SINGLE SIDED	12	40	480		
	TOTAL UNITS 1744						

If a sign is required on a project and not listed in the above inventory, the units per sign will be determined as follows: Signs 36" x 36" will be measured at 27 units each and signs 48" x 48" will be measured at 34 units each, otherwise: If a sign measures less than 25" high and 25" wide the units per sign will be computed as sign size (sq ft) x 3. If a sign measures between 23H" and 37H" the units per sign will be computed as sign size (sq ft) x 1.2 +15.

TOTAL SHEETS PROJECT SHEET NO. STATE OF 029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, SOUTH DAKOTA 23

Plotting Date: 27-APR-2010



Centerline of individual dowel bars shall be parallel to the centerline of the roadway ±1/2 inch in 18 inches.

The transverse contraction joints shall be sawed perpendicular to the centerline of the roadway and the dowel bars shall be centered on the sawed joint + 1 inch.

Supporting devices of the type shown on this sheet, or equivalent as approved by the Engineer, shall be used to maintain proper horizontal and vertical alignment of the dowel bars. December 23, 2007

D

PCC PAVEMENT DOWEL BAR ASSEMBLY FOR TRANSVERSE CONTRACTION JOINTS PLATE NUMBER 380.01

Sheet | of |

Published Date: 2nd Otr. 2010

Plotting Date: 27-APR-2010


D 0

PCC PAVEMENT BEVELED TRANSVERSE D CONTRACTION JOINT WITH OR WITHOUT 0 DOWEL BAR ASSEMBLY

PLATE NUMBER 380.04

December 23, 2007

Sheet | of |



		ILICONE SE UCTION TO	
A (Min.) (In)	A (Max.) (In)	B (Min.) (In)	B (Max.) (In)
3/16	5/16	1/8	1/4

GENERAL NOTES:

The first saw cut to control cracking shall be a minimum of $\frac{1}{4}$ the thickness of the pavement. Additional sawing for widening the saw cut to provide the width for the installation of the low modulus silicone joint sealant will be necessary.

The backer rod shall be a nonmoisture absorbing resilient material approximately 25% larger in diameter than the width of the joint to be sealed.

Published Date: 2nd Qtr. 2010

D


STATE OF PROJECT SHEET TOTAL NO. SHEETS

SOUTH O29 N-171, O29 S-171, O29 N-172, O14 W-171, O14 E-171, O14 E-171, O14-171, O81-171 & 212-171

DAKOTA 014-171, O81-171 & 212-171

24 26

Plotting Date: 27-APR-2010



T = Pavement Thickness

GENERAL NOTES:

No. 4 epoxy coated deformed tie bars shall be spaced 12 inches center to center and shall be a minimum of 3 inches and a maximum of 6 inches from the pavement edges.

The minimum distance between a transverse construction joint with tie bars and an adjacent transverse contraction joint shall be 5 feet.

When a transverse construction joint is made, paving will not be allowed in this area for 12 hours.

A transverse construction joint may be placed in lieu of the transverse contraction joint when shown in the plans.

The term "In Place PCC Pavement" in the above drawing indicates that the in place PCC pavement was placed on the current project.

September 14, 2001

SDDOF

PCC PAVEMENT MID PANEL
TRANSVERSE CONSTRUCTION JOINT


PLATE NUMBER 380.05

Published Date: 2nd Otr. 2010

Sheet I of I

Plotting Date: 27-APR-2010

TRANSVERSE CONSTRUCTION JOINT WITH TIE BARS



T = In Place PCC Pavement and New PCC Pavement Thickness

GENERAL NOTES:


This detail shall be used when the transverse joint is less than 15 feet from the existing transverse contraction joint.

The tie bars shall be embedded a minimum depth of 9 inches into the in place PCC pavement and anchored with an epoxy resin adhesive.

No.9 epoxy coated deformed tie bars shall be spaced 18 inches center to center and shall be a minimum of 3 inches and a maximum of 9 inches from the pavement edges.

The term "In Place PCC Pavement" in the above drawing indicates that the in place PCC pavement was placed on a previous project.

TRANSVERSE CONSTRUCTION JOINT WITH DOWEL BARS



T = In Place PCC Pavement and New PCC Pavement Thickness

GENERAL NOTES:

This detail shall be used when the transverse joint is 15 feet or greater from the existing transverse contraction joint.

The plain round dowel bars shall be embedded a minimum depth of 9 inches into the in place PCC pavement and anchored with an epoxy resin adhesive.

The $1\frac{1}{4}$ " epoxy coated plain round dowel bars shall be spaced 12 inches center to center and shall be a minimum of 3 inches and a maximum of 6 inches from the pavement edges.

The term "in Place PCC Pavement" in the above drawing indicates that the in place PCC pavement was placed on a previous project or current project.

September 6, 2006

S D D O

PCC PAVEMENT TRANSVERSE CONSTRUCTION JOINTS WITH TIE BARS OR DOWEL BARS

PLATE NUMBER 380.06

Sheet I of I

Plotting Date: 27-APR-2010

Published Date: 2nd Otr. 2010

PROJECT STATE OF NO. SHEETS 029 N-171, 029 S-171, 029 N-172, 029 S-172, 014 W-171, 014 E-171, SOUTH 25

Plotting Date: 27-APR-2010


New PCC Pavement

Line of fracture

└No.5 Epoxy Coated Deformed Tie Bars

LONGITUDINAL CONSTRUCTION JOINT WITH TIE BARS

(DRILLED IN BARS)



T = Pavement Thickness

The tie bars shall be embedded a minimum depth of 9 inches into the in place PCC pavement and anchored with an epoxy resin adhesive.

No.5 epoxy coated deformed tie bars shall be spaced 48" center to center for a female keyway or 30" center to center for a vertical face and male keyway. The keyway shown above is a female keyway.


The tie bars shall be placed a minimum of 15 inches from existing transverse contraction joints.

The keyway is optional and is not required. When concrete pavement is formed and a keyway is provided, a metal recess strip shall be used. When concrete pavement is slip formed, a metal recess strip is not required.

The term "In Place PCC Pavement" in the above drawing indicates that the in place PCC pavement was placed on a previous project or current project.

LONGITUDINAL CONSTRUCTION JOINT WITH TIE BARS

(INSERTED OR FORMED IN BARS)



T = Pavement Thickness

GENERAL NOTES:

Published Date: 2nd Otr. 2010

No.5 epoxy coated deformed tie bars shall be spaced 48" center to center for a female keyway or 30" center to center for a vertical face and male keyway. The keyway shown above is a female keyway.

The tie bars shall be placed a minimum of 15 inches from existing transverse contraction joints.

The keyway is optional and is not required. When concrete pavement is formed and a keyway is provided, a metal recess strip shall be used. When concrete pavement

is slip formed, a metal recess strip is not required. The term "In Place PCC Pavement" in the above drawing indicates that the in place

PCC pavement was placed on the current project.

September 14, 2001

D D 0

PCC PAVEMENT LONGITUDINAL JOINTS WITH TIE BARS

PLATE NUMBER 380.10

Sheet I of 2

D 0 PCC PAVEMENT LONGITUDINAL JOINTS WITH TIE BARS

SAWED LONGITUDINAL JOINT WITH TIE BARS (POURED MONOLITHICALLY)

T = Pavement Thickness

No. 5 epoxy coated deformed tie bars shall be spaced 48 inches center to center.

The tie bars shall be placed a minimum of 15 inches from the existing transverse contraction joints.

The first saw cut to control cracking shall be a minimum of 1/3 the thickness of the pavement. Additional sawing for widening the saw cut to provide the width for the installation of the hot poured elastic joint

PLATE NUMBER 380.10

September 14, 2001

Sheet 2 of 2

Published Date: 2nd Qtr. 2010

GENERAL NOTES:

sealer will be necessary.


Sawed Joint filled with Hot-Poured Elastic Joint Sealer

PCC Pavement

15" - - - -

Plotting Date: 27-APR-2010

Plotting Date: 27-APR-2010




No.5 epoxy coated deformed tie bars shall be spaced 48" center to center. The keyway shown above is a female keyway.

The tie bars shall be placed a minimum of 15 inches from existing transverse contraction joints.

The keyway is optional and is not required. When concrete pavement is formed and a keyway is provided, a metal recess strip shall be used. When concrete pavement is slip formed, a metal recess strip is not required.

The transverse contraction joints in the concrete gutter or concrete curb and gutter shall be placed at each mainline PCC pavement transverse contraction joint. The transverse contraction joints in the concrete gutter or the concrete curb and gutter shall be $1/2^{\circ}$ deep if formed in fresh concrete using a suitable grooving tool. If a saw is used to cut the transverse contraction joints, then the depth of the joint shall be at least 1/4 the thickness of the concrete gutter or concrete curb and gutter.

The term "In Place Gutter or Curb and Gutter" in the above drawing indicates that the in place concrete gutter and concrete curb and gutter was placed on the current project.



GENERAL NOTES:

The mainline curb and gutter may be placed monolithically with the PCC pavement. If this method of construction is used, the tie bars and the sawed joint between the curb and gutter and the PCC pavement shall be eliminated.

The gutter or curb and gutter shall be sawed transversely at each mainline transverse contraction joint. The transverse contraction joints in the gutter or curb and gutter shall be sawed and sealed same as the transverse contraction joints in the PCC payement.

The slope of the gutter shall be the slope designated for the type of gutter or curb and gutter to be constructed. The bottom slope of the gutter or curb and gutter shall be constructed at the same slope as the mainline concrete pavement.

September 14, 2005

S D D O PCC PAVEMENT LONGITUDINAL CONSTRUCTION
JOINTS WITH CONCRETE GUTTER OR
CONCRETE CURB AND GUTTER

PLATE NUMBER 380.//

Sheet | of |

Plotting Date: 27-APR-2010

Published Date: 2nd Otr. 2010